

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.63
LIBRARY,
U. S. Department of Agriculture,
Washington, D. C.

1903

Biltmore Nursery

WHOLESALE TRADE-LIST

SEASON OF 1902-1903

BILTMORE NURSERY

BILTMORE, NORTH CAROLINA

THE BILTMORE NURSERY was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue or trade-list was issued. In this, our fourth published price-list, is offered all of the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents; our entire business being transacted from our office at Biltmore, North Carolina.

THE LOCATION is in the heart of the mountains of western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90° above to 12° below zero. The variations in temperature peculiar to the southern Alleghany Region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a

QUALITY OF STOCK unusually good in root-formation, thriftiness and hardiness. All our stock is nursery-grown; we do not offer cheap, collected plants.

LANDSCAPE ARCHITECTS will find our stock particularly suited to the demands of forest, park and suburban planting.

PROPAGATING CAPACITY. Our greenhouses and coldframes cover an area of 40,000 square feet, which, in connection with seed beds of more than six acres extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings and transplanted plants.

NURSERYMEN will find the small plants particularly valuable for transplanting into nursery rows.

FREE FROM INSECTS AND FUNGOUS PESTS. The stock of the Biltmore Nursery has been inspected by the State Entomologist, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.

A CERTIFICATE of inspection will be sent with each shipment.

FUMIGATING HOUSE. We are prepared to fumigate with hydrocyanic gas all or any nursery stock when such request accompanies orders.

PACKING. The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:

BOXES, including packing and delivery to freight or express depots:

14 feet long,	30 x 30 inches	\$3 25 each.
12 " "	30 x 30 "	3 00 "
10 " "	30 x 30 "	2 75 "
8 " "	30 x 30 "	2 50 "
6 " "	24 x 24 "	1 85 "

BALES, according to size, including delivery to nearest station, 15 cents to \$2.50.

DIRECTIONS FOR SHIPPING. In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.

OUR RESPONSIBILITY. All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery or condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the invoice price of the goods.

RATES. The prices in this list supersede all previous rates and apply to quantities specified, but two hundred and fifty will be furnished at the thousand rate, twenty-five at the hundred rate, and five at the ten rate. Special discounts given on very large orders.

TERMS CASH on or before delivery to forwarding agents, to parties with whom we have not had dealings, unless by special arrangement.

NOTICE. All orders placed with us will be accepted only upon the condition that, should stock be injured by drought, frost, or other casualties before the shipping season, they are to be void.

CLAIMS. Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay.

PACKING SEASON. We ship from October 1 to May 1, with slight interruptions during midwinter.

FREIGHT RATES in effect October 1, 1902, from Biltmore to several points are here shown.

ROUTE	PER HUNDRED POUNDS TO							
	BALTIMORE, MD.		PHILADELPHIA, PA.		NEW YORK, N. Y.		PROVIDENCE AND BOSTON.	
	CL	LCL	CL	LCL	CL	LCL	CL	LCL
Rail and Water . . .	37	50	40	55	40	55	45	60
All Rail	42	58	45	63	45	63	50	68

Special Inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

BILTMORE NURSERY

Buncombe County

Biltmore, North Carolina

TREES

"S" signifies seedlings not transplanted: "tr." signifies stock has been transplanted

	Height	Per 10	100	1,000
Abies douglasii. See Pseudotsuga mucronata.				
Acer campestre , English Field Maple tr.	2½ to 3 ft.	\$2 25	\$20 00	\$175 00
glabrum , Dwarf or Rocky Mountain				
Maple twice tr.	1 ft.	1 00	7 50	
japonicum , Japanese Maple tr.	6 to 8 in.	1 00	7 50	
leucoderme , White-barked Maple tr.	1 to 1½ ft.	1 50	12 00	
" tr.	4 to 6 ft.	2 25	20 00	
negundo (<i>Negundo aceroides</i>), Ash-leaved				
Maple S.	6 to 9 in.	1 00	7 50	
" tr.	8 to 12 in.	1 75	15 00	
" tr.	1½ to 2 ft.	2 50	22 50	
" tr.	3½ to 4½ ft.	75	5 00	
" select, twice tr.	5 to 7 ft.	1 25	10 00	
nigrum , Black Sugar Maple tr.	1½ to 2 ft.	50	3 50	
pennsylvanicum , Striped Maple tr.	2½ to 3 ft.	1 25		
rubrum , Red Maple tr.	1 to 1½ ft.	50	3 00	25 00
" tr.	2 to 3 ft.	75	5 50	
" tr.	3 to 4 ft.	1 25	10 00	
saccharinum (<i>A. dasycarpum</i>), Silver Maple. tr.	4 to 6 ft.	1 25	10 00	
saccharum , Sugar Maple tr.	6 to 12 in.	3 00	27 50	
" tr.	1 to 2 ft.	50	4 50	
spicatum , Mountain Maple tr.	1 to 1½ ft.	75	6 50	50 00
tataricum , Tartarian Maple tr.	8 to 12 in.	75	6 50	50 00
Æsculus octandra (<i>Æ. flava</i>), Sweet or Yellow				
Buckeye tr.	8 to 12 in.	1 50		
" tr.	1½ to 2 ft.	2 50		
" twice tr.	2 to 3 ft.	1 00	7 50	67 50
" select, twice tr.	3½ to 4½ ft.	1 50	12 50	
" select, twice tr.	5 to 6 ft.	2 50	22 00	
Alnus incana , Speckled or Hoary Alder tr.	3 to 4 ft.	65	5 00	40 00
" select, tr.	4 to 5 ft.	75	5 75	45 00
Amelanchier botryapium , Shad-bush tr.	1 to 2 ft.	75	6 50	
" tr.	3 to 4 ft.	1 25	10 00	
Betula lenta , Sweet Birch tr.	2½ to 3 ft.	65	5 00	
" tr.	3 to 4 ft.	75	6 00	
Biota. See Thuya.				
Carpinus caroliniana , American Hornbeam . . . tr.	1 to 1½ ft.	1 00	7 00	65 00
" tr.	3 to 4 ft.	2 50	22 50	
Carya. See Hicoria.				
Cedrus deodara , Indian Cedar tr.	6 to 12 in.	2 00	17 50	
Celtis tenuifolia , Long-leaved Hackberry . . . tr.	4 to 5 ft.	1 50	12 50	
Cerasus. See Prunus.				
Cercis canadensis , Red-bud or Judas-tree . . . S.	6 to 12 in.	1 00	7 50	
" tr.	6 to 12 in.	50	4 50	40 00
" tr.	1½ to 2 ft.	1 25	10 00	90 00
Chamaecyparis lawsoniana (<i>Cupressus</i>),				
Lawson's Cypress twice tr.	1 ft.	1 00	9 00	
nootkatensis , Nootka Sound				
Cypress twice tr.	2 ft.	2 00		
obtusa twice tr.	2½ ft.	2 50		

TREES, continued

		Height	Per 10	100	1,000
Chamaecyparis	pisifera filifera (<i>Retinospora</i>), twice tr.	1 ft.	\$1 50	\$12 50	
"	" twice tr.	3½ ft.	5 00		
"	plumosa twice tr.	1 ft.	1 50		
"	" twice tr.	2 to 2½ ft.	2 50		
"	aurea twice tr.	1 ft.	1 50	12 50	
"	squarrosa twice tr.	1 ft.	2 00		
"	sphaeroidea variegata . . . twice tr.	1 ft.	1 50	12 50	
"	thyoides andelyensis (<i>C.</i> <i>sphaeroidea andelyensis</i>), Andely's Cedar twice tr.	2 to 3 ft.	2 50		
Cornus florida , White-flowered Dogwood S.		6 to 12 in.		1 00	\$9 00
"	" tr.	6 to 12 in.	50	3 50	18 00
For other species, see Shrubs.					
Crataegus	apiifolia , Parsley-leaved Thorn . select, tr.	1½ to 2 ft.	2 50	22 50	
"	" select, tr.	2 to 2½ ft.	3 00	27 50	
"	aprica select, tr.	2½ to 3 ft.	1 50	10 00	85 00
"	biltmoreana , Biltmore Thorn tr.	1 to 2 ft.	2 50	22 50	
"	boyntoni , Boynton's Thorn . . . select, tr.	2 to 3 ft.	1 75	12 50	100 00
"	buckleyi , Buckley's Thorn . . . select, tr.	2 to 3 ft.	1 75	12 50	100 00
"	collina , Hillside Thorn S.	1½ to 2 ft.	1 00	8 50	
"	" select, tr.	2 to 2½ ft.	1 50	10 00	
"	" select, tr.	2½ to 3 ft.	1 75	12 50	
"	cordata , Washington Thorn . . select, tr.	2 to 3 ft.	1 50		
"	" select, tr.	3 to 4 ft.	2 00	17 50	
"	crus-galli , Cockspur Thorn S.	6 to 12 in.		2 00	10 00
"	" select, tr.	2 to 3 ft.	1 75	12 50	100 00
"	harbisoni , Harbison's Thorn S.	6 to 12 in.		2 50	20 00
"	" select, tr.	1 to 2 ft.	1 75	15 00	
"	oxyacantha , White or May Thorn . . . tr.	6 to 12 in.		2 00	10 00
"	punctata , Large-fruited Thorn S.	6 to 12 in.		2 00	10 00
"	" select, tr.	1½ to 2 ft.	1 00	8 50	75 00
"	" extra fine tr.	2 to 2½ ft.	1 75	12 50	100 00
"	spatulata , Small-fruited Thorn tr.	8 to 12 in.	1 00	7 50	70 00
"	tomentosa , Pear Haw S.	1 ft.		2 50	
"	" tr.	1 ft.	1 00		
"	" tr.	2 to 2½ ft.	1 50		
"	uniflora , One-flowered Thorn tr.	1 to 2 ft.	1 00	7 50	
"	valliae , Vail's Haw tr.	2 ft.	1 50		
"	" tr.	3 to 4 ft.	2 00		
"	viridis , Southern Haw S.	1 ft.		3 00	20 00
"	" tr.	1 to 2 ft.	1 00	7 50	70 00
Cryptomeria japonica twice tr.		1 to 2 ft.	1 50	12 50	100 00
Diospyros virginiana , Persimmon tr.		3 to 4 ft.	75	5 00	45 00
"	" tr.	5 to 7 ft.	1 00	6 50	60 00
Fraxinus americana , American White					
"	Ash select, twice tr.	6 to 8 ft.	1 25	10 00	
"	" select, twice tr.	8 to 10 ft.	1 50	12 00	
"	" select, twice tr.	10 to 12 ft.	1 75	15 00	
"	biltmoreana , Biltmore Ash tr.	1 to 1½ ft.	2 50	22 50	
"	lanceolata (<i>F. viridis</i>), Green Ash . . . tr.	3 to 5 ft.	50	4 00	35 00
"	" select, twice tr.	6 to 7 ft.	1 25	10 00	90 00
"	" select, twice tr.	8 to 9 ft.	1 50	12 00	110 00
"	nigra , Black Ash tr.	1 to 2 ft.		2 00	18 00
"	" tr.	2½ to 3½ ft.	75	4 50	
"	" tr.	4 to 4½ ft.	50	7 00	
"	pennsylvanica (<i>F. pubescens</i>), Red Ash . tr.	3 to 4 ft.	50	4 50	40 00
"	" select, twice tr.	5 to 7 ft.	1 25	10 00	90 00

TREES, continued

	Height	Per 10	100	1,000
Fraxinus pennsylvanica select, twice tr.	8 to 10 ft.	\$1 50	\$12 00	\$110 00
Ginkgo biloba , Maidenhair Tree tr.	1 ft.		5 00	
Gleditsia aquatica , Water Locust twice tr.	2 to 3 ft.	75	6 00	50 00
" triacanthos , Honey Locust tr.	3 to 4 ft.	75	6 00	
Gymnocladus dioica (<i>G. canadensis</i>), Kentucky Coffee Tree tr.	2 to 3 ft.	1 00		
Halesia . See Mohrodendron .				
Hicoria aquatica (<i>Carya aquatica</i>), Water Hickory. tr.	1 ft.	1 00	7 75	
" microcarpa (<i>Carya microcarpa</i>), Small-fruited Hickory tr.	1 ft.	1 00	7 75	
" minima (<i>Carya amara</i>), Bitternut S.	4 to 6 in.		1 75	15 00
" " tr.	8 to 12 in.	50	3 00	27 50
Juglans cinerea , Butternut select, tr.	8 ft.	3 00	27 50	
" nigra , Black Walnut tr.	2 to 4 ft.		5 00	40 00
" " select, tr.	4 to 6 ft.	1 25	10 00	
" " fine heavy, tr.	6 to 8 ft.	1 50	12 50	
Juniperus . See Shrubs .				
Koeleruteria paniculata S.	4 to 6 in.		2 50	15 00
" " tr.	6 to 12 in.		5 00	30 00
" " select, tr.	2½ to 3 ft.	1 00	8 00	75 00
" " extra fine, tr.	3 to 4 ft.	1 50	12 50	
Libocedrus decurrens , Post Cedar tr.	3 ft.	1 50	12 50	
Liquidambar styraciflua , Sweet Gum . . . twice tr.	2 to 4 ft.	1 75	15 00	
Liriodendron tulipifera , Tulip Tree tr.	3 to 5 ft.	1 50	12 50	
" " select, twice tr.	8 to 10 ft.	2 50	22 50	
" " select, twice tr.	12 to 14 ft.	5 00	47 50	
" " extra fine, twice tr.	16 ft.	7 50	72 50	
Magnolia acuminata , Cucumber Tree tr.	3 to 4 ft.	1 25	10 00	
" " tr.	5 to 6 ft.	1 75	15 00	
" conspicua soulangeana tr.	1½ ft.	2 00		
" fraseri , Mountain Magnolia tr.	6 to 8 ft.	5 00	40 00	
" kobus , Japanese Magnolia . . . select, tr.	1½ ft.	2 00	17 50	
" " tr.	2½ to 3 ft.	3 00	27 50	
" obovata discolor (<i>M. purpurea</i>) . . . tr.	1 to 2 ft.	1 50	12 50	
" tripetala , Umbrella Tree tr.	5 to 8 ft.	3 50		
" watsoni , Watson's Magnolia tr.	1½ to 2 ft.	2 50	20 00	
Malus . See Pyrus .				
Mohrodendron carolinum (<i>Halesia tetraptera</i>), Silver Bell tr.	1 to 2 ft.		3 00	25 00
" " tr.	2 to 3 ft.	50	4 00	35 00
" " tr.	3 to 4 ft.	60	5 00	45 00
" " tr.	5 to 6 ft.	75	6 00	55 00
Negundo . See Acer negundo .				
Oxydendrum arboreum , Sourwood tr.	1 to 1½ ft.		3 00	25 00
" " tr.	2 to 3 ft.	50	4 00	35 00
" " tr.	4 to 5 ft.	75	6 00	55 00
Picea canadensis (<i>P. alba</i>), White Spruce . twice tr.	1½ to 2 ft.	1 25	10 00	85 00
" " twice tr.	2½ to 3 ft.	1 50	12 50	110 00
" orientalis twice tr.	6 to 8 ft.	7 50		
" parryana (<i>P. pungens</i>), Rocky Mountain Spruce twice tr.	1½ to 2 ft.	3 50	30 00	
" rubens (<i>P. rubra</i>), Red Spruce . . . twice tr.	1½ to 2 ft.	2 50	22 50	
Pinus excelsa , Himalayan Pine tr.	2 to 2½ ft.	2 50	22 50	
" " twice tr.	3 to 4 ft.	3 25	30 00	
" laricio , Corsican Pine tr.	1 ft.	1 25	10 00	
" monticola , Mountain White Pine . . twice tr.	1 to 1½ ft.	1 50	12 50	

TREES, continued

	Height	Per 10	100	1,000
<i>Pinus ponderosa</i> , Western Yellow Pine . . . twice tr.	1½ ft.	\$1 50	\$12 50	
“ <i>thunbergi</i> , Thunberg's Pine twice tr.	2 to 2½ ft.	1 75	15 00	
<i>Platanus occidentalis</i> , American Plane tr.	1 to 2 ft.	50	4 00	\$35 00
“ “ twice tr.	3 to 5 ft.	75	6 00	55 00
“ “ select, twice tr.	6 to 7 ft.	1 00	7 00	67 50
“ “ select, twice tr.	8 to 10 ft.	1 50	12 50	100 00
<i>Podocarpus japonica</i> , Japanese Yew twice tr.	1½ ft.	2 50	20 00	
<i>Populus balsamifera</i> , Balsam Poplar tr.	10 to 12 ft.	2 00	17 50	
“ <i>deltoides</i> , Carolina Poplar or Cotton-wood tr.	7 to 10 ft.	1 50	12 50	
<i>Prunus americana</i> , Wild Yellow, or Red Plum . . S.	6 to 12 in.		2 00	15 00
“ “ tr.	1 to 1½ ft.	50	4 00	35 00
“ “ tr.	3 to 5 ft.	1 25	10 00	
“ <i>pendula</i> , Weeping Cherry . . . Own roots tr.	2 ft.	1 50	12 50	
“ <i>pennsylvanica</i> , Wild Red Cherry tr.	2 to 3 ft.	1 50	12 50	
“ <i>serotina</i> , Wild Black Cherry S.	6 to 12 in.		1 00	7 50
“ “ tr.	1 to 1½ ft.		2 00	17 50
“ “ tr.	4 to 5 ft.	50	4 00	37 50
“ “ select, twice tr.	6 to 7 ft.	1 00	8 00	75 00
“ “ select, twice tr.	8 to 10 ft.	1 25	10 00	95 00
<i>Pseudotsuga mucronata</i> (<i>Abies douglasii</i>), Douglas' Spruce twice tr.	1½ to 2½ ft.	2 50	22 50	
<i>Pyrus arbutifolia</i> . See <i>Aronia</i> , under Shrubs.				
“ <i>baccata</i> , Siberian Crab tr.	3 to 5 ft.	1 00	8 50	75 00
“ <i>japonica</i> . See Shrubs.				
“ <i>sinensis</i> , Sand Pear tr.	3 to 4 ft.	1 00	8 50	75 00
<i>Quercus alba</i> , White Oak S.	4 to 6 in.			7 50
“ “ tr.	8 to 12 in.		2 50	17 50
“ “ tr.	1 to 1½ ft.		6 50	50 00
“ “ select, twice tr.	2 to 2½ ft.	1 50	10 00	
“ <i>cerris</i> , Turkey Oak select, tr.	2 ft.	1 50	10 00	
“ <i>coccinea</i> , Scarlet Oak S.	3 to 4 in.			7 50
“ “ tr.	8 to 10 in.		2 50	17 50
“ “ select, tr.	1 to 1½ ft.		6 50	50 00
“ <i>digitata</i> (<i>Q. falcata</i>), Spanish Oak . . . S.	4 to 6 in.		2 50	
“ <i>imbricaria</i> , Shingle Oak S.	4 to 6 in.			12 00
“ <i>lyrata</i> , Swamp, Overcup or Post Oak select, tr.	2 to 2½ ft.	2 00	15 00	
“ <i>macrocarpa</i> , Mossy-cup Oak . . . select, tr.	3½ to 4½ ft.	3 50		
“ <i>prinus</i> , Chestnut Oak S.	4 to 6 ft.			7 50
“ “ tr.	8 to 12 in.		2 50	17 50
“ <i>rubra</i> , Red Oak S.	3 to 6 in.			7 50
“ “ tr.	2 to 2½ ft.	1 00	8 00	75 00
“ “ select, tr.	3 to 4 ft.	2 00	17 50	165 00
“ “ select, twice tr.	5 to 6 ft.	2 50	20 00	185 00
“ <i>schneckii</i> (<i>Q. texana</i>), Schneck's Red Oak select, tr.	5 to 7 ft.	3 50	30 00	250 00
“ <i>serrata</i> tr.	3 to 5 ft.	5 00	22 50	
<i>Retinospora</i> . See <i>Chamacyparis</i> .				
<i>Rhododendron</i> . See Shrubs.				
<i>Robinia pseudacacia</i> , Yellow Locust tr.	2½ to 3 ft.	2 50	20 00	
<i>Salix nigra</i> , Black Willow tr.	2 to 3 ft.	2 75	25 00	
For other species, see Shrubs.				
<i>Thuja occidentalis</i> , American Arborvitæ				
“ “ . . . with balls, select, thrice tr.	8 to 10 ft.	5 00	45 00	
“ “ <i>globosa</i>				
“ “ . . . with balls, select, thrice tr.	3 ft.	4 50	40 00	

TREES, continued

	Height	Per 10	100	1,000
Thuja occidentalis intermedia				
with balls, select, thrice tr.	2½ to 3 ft.	\$4 50	\$40 00	
hudsonica				
with balls, select, thrice tr.	2½ to 3 ft.	4 50	40 00	
orientalis compacta				
with balls, select, thrice tr.	4½ to 5 ft.	4 50	40 00	
Tilia americana , American Linden tr.	3 to 4 ft.	1 25	10 00	
" tr.	5 to 7 ft.	1 75	15 00	
Tsuga canadensis , Hemlock tr.	1½ to 2½ ft.	1 00	8 50	\$75 00
" twice tr.	3 to 4 ft.	2 00	17 50	
Ulmus americana , American or White Elm . . . tr.	3 to 5 ft.	1 25	10 00	
" tr.	6 to 8 ft.	2 00	17 50	
" tr.	9 to 11 ft.	3 00	25 00	
" select, tr.	12 to 15 ft.	4 00	35 00	
serotina , Late-flowering Elm . \$1 ea. select, tr.	4 to 6 ft.			
Zelkova acuminata (<i>Z. keaki</i>), tr.	3 ft.	3 00	27 50	

SHRUBS, continued

	Height	Per 10	100	1,000
Callicarpa purpurea , Purple-fruited Callicarpa . . tr.	1½ to 2 ft.	\$0 50	\$4 50	\$40 00
" " tr.	2 to 3 ft.	65	5 50	50 00
" " tr.	4 ft.	75	6 50	60 00
Calluna vulgaris , Scotch Heather pots	6 in.	50	4 00	35 00
" " tr.	1½ to 2 ft.	1 00	8 00	75 00
Calycanthus . See Butneria .				
Caryopteris mastacanthus , Chinese Beardwort . . tr.	1 to 2 ft.	1 00	8 00	75 00
Cephalanthus occidentalis , Button-bush tr.	1 to 2 ft.	65	5 00	45 00
" " tr.	2 to 3 ft.	1 00	8 00	75 00
Chamædaphne calyculata (<i>Cassandra calyculata</i>), Leather-leaf . . . tr.	1 ft.	50	4 50	40 00
" " select, tr.	1 ft.	75	5 50	50 00
Citrus trifoliata , Hardy Lemon tr.	2 to 3 ft.	75	6 00	
Clethra alnifolia , Sweet Pepper-bush tr.	6 to 12 in.		3 00	25 00
" " tr.	1 to 2 ft.	50	3 50	30 00
" " select, tr.	2 ft.	75	5 00	45 00
Clinopodium carolinianum (<i>Calamintha caroliniana</i>), Large-flow- ered Thyme . . . pots	1 ft.	1 25	10 00	
" " tr.	8 to 12 in.	1 50	12 50	
Cornus alternifolia , Alternate-leaved Dogwood . . tr.	1½ to 2½ ft.	60	5 00	
" amomum (<i>C. sericea</i>), Silky Dogwood . . S.	6 to 12 in.			7 50
" " tr.	1½ to 2½ ft.	50	4 50	40 00
" " select, tr.	3 ft.	1 00	7 50	70 00
" candidissima (<i>C. paniculata</i>), Panicked Cornel or Dogwood . . tr.	2 to 2½ ft.	75	6 50	50 00
" " select, tr.	3 to 3½ ft.	1 25	10 00	
" florida . See Trees .				
" stolonifera , Red Osier Cornel S.	1 to 1½ ft.		1 25	10 00
" " tr.	1 to 1½ ft.	60	5 00	40 00
" " select, tr.	2 to 3 ft.	1 25	10 00	
Coronilla emerus , Scorpion Senna tr.	1 ft.	1 00		
Corylus americana , Hazel-nut tr.	2 to 2½ ft.	75	7 00	
" rostrata , Beaked Hazel-nut S.	1 ft.	50		
Cotoneaster buxifolia (<i>C. hookeriana</i>), Box-leaved Cotoneaster tr.	2 ft.	1 25	10 00	
" microphylla , Nepalese Cotoneaster. pots	8 to 10 in.	50	4 50	40 00
" " tr.	1 ft.	75	6 00	52 50
" multiflora , Chinese Cotoneaster . . . pots	1 ft.	50	4 00	35 00
" " tr.	1 ft.	75	6 00	50 00
" " tr.	2 to 2½ ft.	1 00	8 00	75 00
" " tr.	4 to 5 ft.	1 50	12 50	
Cratægus . See Trees .				
Cydonia . See Pyrus .				
Deutzia crenata candidissima twice tr.	5 to 6 ft.	1 00	7 50	60 00
" " flore roseo-plena twice tr.	3½ to 4 ft.	75	5 00	45 00
" " select, twice tr.	5 to 6 ft.	1 00	7 50	60 00
" gracilis , Slender Deutzia tr.	1 ft.	60	5 00	40 00
" scabra tr.	2½ ft.	75	6 00	50 00
Diervilla diervilla (<i>D. trifida</i>), Bush Honeysuckle . tr.	1 ft.	50	4 00	
" floribunda tr.	2½ ft.	1 25	10 00	
" grandiflora , Rose tr.	2½ ft.	1 25	10 00	
" " Variegated tr.	1 to 1½ ft.	1 25	10 00	
" " White tr.	2½ ft.	1 25	10 00	
" japonica tr.	3 to 4 ft.	1 50	12 50	
" rivularis , Gattinger's Bush Honeysuckle . . tr.	2 to 3 ft.	1 50	12 50	
" sessilifolia , High Bush Honeysuckle . . . tr.	2 to 3 ft.	60	5 00	

SHRUBS, continued

		Height	Per 10	100	1,000
Elæagnus longipes , Silver Thorn	tr.	1 to 1½ ft.	\$0 60	\$5 00	\$40 00
Erica scoparia , Brown Heather	pots	1 ft.	1 00	8 50	
“ stricta , Corsican Heath	pots	6 in.	1 00	8 50	
“ tetralix , Cross-leaved Heath	pots	1 ft.	1 00	8 50	
“ vagans , Cornish Heath	pots	1 ft.	1 00	8 50	
Euonymus alatus , Burning Bush	tr.	1 ft.	75	6 00	
“ americanus , Strawberry Bush	tr.	1 to 2 ft.	50	4 00	35 00
“ “	select, tr.	2 ft.	1 00	8 00	
“ bungeanus , Bunge's Spindle-tree	tr.	2½ to 3 ft.	1 00	8 00	
“ japonicus , Japanese Euonymus	tr.	1 to 1½ ft.	1 00	8 00	
“ radicans , Climbing Euonymus	tr.	6 to 8 in.	50	4 00	35 00
“ “ variegata	tr.	6 in.	50	4 00	
Exochorda grandiflora	tr.	2 to 3 ft.	1 50	12 50	
Fontanesia phillyræoides	tr.	1½ ft.	1 00	8 50	75 00
Forestiera . See Adelia .					
Forsythia suspensa , Golden Bell	tr.	1½ to 2 ft.	50	4 50	40 00
“ “	tr.	3 to 4 ft.	60	5 00	45 00
“ “	select, tr.	4 to 5 ft.	1 00	7 50	
“ viridissima , Dark Green Forsythia	tr.	2½ to 3 ft.	50	4 50	40 00
“ “	select, tr.	3 to 4 ft.	60	5 00	45 00
Fothergilla carolina , Small Fothergilla	tr.	6 in.	2 50		
“ major , Large Fothergilla	tr.	1½ ft.	2 50		
Gaylussacia dumosa , Dwarf Huckleberry	tr.	6 in.	1 00	8 50	
Hamamelis virginiana , Witch Hazel	tr.	6 to 10 in.	50	4 00	30 00
“ “	tr.	1 to 2 ft.	75	6 50	
Hibiscus syriacus (<i>Althæa</i>), Rose of Sharon, double and single forms, lilac, red, white, pink, rose, violet, purple	select, tr.	2 to 3 ft.	75	6 00	50 00
Hydrangea arborescens , Wild Hydrangea	tr.	1½ to 2½ ft.	50	4 00	37 50
“ hirta	tr.	2 to 3 ft.	1 25	10 00	
“ hortensis , Garden Hydrangea, in va- rieties	2 to 3 yrs., tr.		1 50	10 00	
“ paniculata , Panicked Hydrangea	tr.	2 to 3 ft.	75	6 00	50 00
“ “ grandiflora , Large-flow- ered Hydrangea	tr.	2½ to 3½ ft.	75	6 00	50 00
10 “ quercifolia , Oak-leaved Hydrangea	tr.	1 ft.	2 00	15 00	
“ radiata , Downy Hydrangea	tr.	1 to 2 ft.		4 00	
“ “	tr.	2 to 3 ft.	50	4 50	
Hypericum apocynifolium , Small's St. John's-wort. tr.		1 ft.	2 00	15 00	
“ densiflorum , Dense-flowered St. John's- wort	tr.	1 ft.	40	3 50	30 00
“ “	tr.	2 to 3 ft.	50	4 00	35 00
“ glomeratum , Mountain St. John's-wort. tr.		1 to 2 ft.		4 00	35 00
“ “	select, tr.	2 to 2½ ft.	50	4 50	40 00
“ lobocarpum , Gattinger's St. John's wort	tr.	3 to 3½ ft.	1 00	8 50	80 00
“ nudiflorum , Naked-flowered St. John's- wort	tr.	1 ft.	50	4 00	
“ “	tr.	2 to 2½ ft.	75	5 50	50 00
“ patulum	tr.	1 ft.	75	6 50	
“ prolificum , Shrubby St. John's-wort	tr.	3 ft.	60	5 00	45 00
“ sphærocarpum . See Herbaceous Plants , etc.					
Ilex crenata , Japanese Holly	tr.	6 to 12 in.	75	7 00	65 00
“ “	select, tr.	1 ft.	1 00	8 50	
“ verticillata , Black Alder	tr.	1 to 2 ft.	65	6 00	55 00
“ “	select, tr.	2 to 2½ ft.	75	7 00	65 00
Itea virginica , Virginia Willow	tr.	1 to 2 ft.		4 00	35 00
“ “	tr.	2 to 3 ft.	60	5 00	45 00

SHRUBS, continued

	Height	Per 10	100	1,000
Jasminum humile (<i>J. reevesi</i>), Yellow Italian				
Jasmine tr.	6 to 12 in.	\$0 50	\$4 00	\$37 50
nudiflorum , Naked-flowered Jasmine . . tr.	1 to 1½ ft.		2 75	25 00
" tr.	2 to 2½ ft.	50	3 50	30 00
Juniperus communis twice tr.	2 ft.	2 50		
" hibernica , Irish Juniper. twice tr.	1 to 2 ft.	1 75	15 00	
" twice tr.	3 to 3½ ft.	2 50		
" suecica tr.	8 to 12 in.	1 50	12 50	
nana (<i>J. communis alpina</i>), Prostrate				
Juniper tr.	1½ ft.	1 50	10 00	85 00
" select, tr.	2 ft.	1 75	12 50	100 00
recurva densa twice tr.	3 ft.	2 50	22 50	
rigida twice tr.	3 to 3½ ft.	2 50	22 50	
sabina prostrata twice tr.	1 to 1½ ft.	1 25	10 00	85 00
sphærica variegata twice tr.	2 ft.	2 50		
Kalmia latifolia , Calico-bush tr.	1½ to 2½ ft.	3 50	30 00	
Leucothoe catesbæi , Catesby's Leucothoe . . pots	10 to 12 in.		3 00	25 00
" racemosa , Swamp Leucothoe tr.	1 to 2 ft.	50	4 50	40 00
" select, tr.	2 to 3 ft.	75	6 50	60 00
Ligustrum ciliatum tr.	2½ to 3 ft.	50	4 50	40 00
" ibota , Ibota Privet tr.	1 to 2 ft.		2 50	20 00
" tr.	3 to 3½ ft.	50	4 00	30 00
" japonicum , Japanese Privet tr.	1 ft.	50	4 50	40 00
" lucidum , Shining-leaved Privet . . . tr.	2 to 3 ft.	60	5 00	
" ovalifolium , California Privet . select, tr.	2 to 3 ft.	50	3 50	30 00
" quihoui tr.	2 to 2½ ft.	75	5 00	40 00
" regelianum tr.	1 to 1½ ft.	75	5 00	40 00
" sinense , Chinese Privet tr.	1 to 1½ ft.		2 50	15 00
" select.	2 to 2½ ft.	50	4 00	30 00
Lonicera bella (<i>L. chrysantha</i> × <i>tatarica</i>), Hy- brid Honeysuckle tr.	3 ft.	50	4 50	40 00
" fragrantissima , Bush Honeysuckle . . tr.	2 to 3 ft.	60	5 00	45 00
" involutrata , Fly Honeysuckle . . . tr.	1 to 1½ ft.	75	7 00	
" orientalis , Oriental Honeysuckle . . tr.	1 ft.	1 00	8 50	
For other species, see Vines.				
Myrica gale , Sweet Gale tr.	8 to 12 in.	1 00	8 50	
Neviusa alabamensis , Nevin's Fringe-bush . . tr.	1 to 1½ ft.	1 00	8 50	
" select, tr.	2 to 2½ ft.	1 25	10 00	
Opulaster opulifolius (<i>Neillia</i> , or <i>Spiræa opulifolia</i>), Nine Bark tr.	1 to 1½ ft.		4 00	35 00
" select, tr.	2½ to 3 ft.	50	4 50	40 00
Phellodendron amurense tr.	3 to 4 ft.	1 00	8 00	75 00
" tr.	4 to 5 ft.	1 25	10 00	
Philadelphus grandiflorus , Large-flowered				
Syringa tr.	1 to 2 ft.	50	4 50	40 00
" hirsutus , Hairy Syringa tr.	1 to 2 ft.		4 00	30 00
" tr.	3 to 5 ft.	50	4 50	40 00
" inodorus , Scentless Syringa tr.	2 to 3 ft.	50	4 50	40 00
" tr.	3 to 4 ft.	60	5 00	45 00
" latifolius , Broad-leaved Syringa . . tr.	1½ to 2 ft.	75	5 00	
Phillyrea angustifolia tr.	1 to 2 ft.	50	4 50	40 00
" tr.	3 to 4 ft.	1 00	8 50	
Photinia serrulata tr.	1 ft.	1 00		
Potentilla fruticosa , Shrubby Cinquefoil . strong, tr.	2 to 2½ ft.	1 00	8 50	75 00
" tridentata . See Herbaceous Plants .				
Prunus . See Trees .				
Ptelea trifoliata , Hop-tree tr.	1½ to 2 ft.	60	5 00	40 00

SHRUBS, continued

	Height	Per 10	100	1,000
Pyrus arbutifolia. See Aronia.				
" japonica (<i>Cydonia japonica</i>), Japanese Quince tr.	1 to 2 ft.	\$0 50	\$4 00	\$35 00
" " tr.	2 ft.	65	5 50	50 00
" " pygmæa , Dwarf Japanese Quince . tr.	1½ to 2 ft.	65	5 50	50 00
For other species, see Trees.				
Rhamnus cathartica tr.	2½ ft.	65	6 00	
" frangula , Alder Buckthorn tr.	2 to 3 ft.	65	6 00	
" japonica , Japanese Buckthorn tr.	2½ to 3 ft.	75	7 00	
Rhododendron catawbiense , Mountain Rosé Bay . tr.	2½ to 3 ft.	4 00		
" maximum , Great Laurel tr.	1 to 2 ft.	3 00	27 50	
Rhodotypos kerrioides , White Kerria tr.	2½ ft.	1 50		
Rhus aromatica (<i>R. canadensis</i>), Sweet-scented Sumac tr.	2 to 2½ ft.	1 00	7 50	70 00
" copallina , Upland Sumac select, tr.	1 to 2 ft.	1 00	7 50	70 00
" glabra , Smooth Sumac select, tr.	2 to 3 ft.	1 00	7 50	70 00
" hirta (<i>R. typhina</i>), Staghorn Sumac . . . tr.	6 ft.	1 00		
" michauxi , Dwarf Sumac tr.	1 to 2 ft.	5 00		
Ribes curvatum , Small's Gooseberry tr.	1 to 1½ ft.	1 00	7 50	70 00
Rosa acicularis , Prickly Rose tr.	2 ft.	1 00		
" blanda , Meadow Rose tr.	2 to 3 ft.	75	6 00	50 00
" bracteata , McCartney Rose tr.	1 to 2 ft.	75	7 00	65 00
" carolina , Swamp Rose tr.	1½ to 2 ft.		3 00	25 00
" " tr.	2½ to 3 ft.	50	4 00	35 00
" humilis , Low or Pasture Rose tr.	1 to 2 ft.	65	5 50	50 00
" " tr.	2 to 2½ ft.	75	6 00	55 00
" lucida alba tr.	2 ft.	1 25		
" multiflora , Japanese Climbing Rose . . . tr.	1½ to 2 ft.	60	5 00	45 00
" " tr.	3 ft.	1 00	7 50	
" repens , European Field Rose tr.	2 ft.	1 00	7 50	
" rugosa tr.	1½ ft.	1 00	7 50	70 00
" setigera , Prairie Rose tr.	1½ to 2 ft.	75	7 00	65 00
" " tr.	3 to 4 ft.	1 00	8 00	75 00
" watsoni tr.	2 to 2½ ft.	1 00	8 50	
" wichuraiana , Memorial or Chinese Trailing Rose tr.	1½ to 2½ ft.	50	4 00	35 00
Rubus leucodermis , Western Raspberry tr.	3 to 4 ft.	1 00		
" parviflorus (<i>R. nutkanus</i>), Salmon-berry . tr.	2 ft.	1 00	8 50	
Salix humilis , Prairie Willow tr.	3 to 4 ft.	1 00		
" nigra . See Trees.				
" sericea , Silky Willow tr.	2 to 3 ft.	50	4 50	40 00
" tristis , Sage Willow tr.	2 ft.	1 00		
Sambucus canadensis , Sweet Elder tr.	1 to 2 ft.	50	4 00	35 00
Spiræa alba tr.	3 to 4 ft.	50	4 00	30 00
" Anthony Waterer tr.	6 to 10 in.	50	4 50	40 00
" arguta tr.	1 to 1½ ft.	50	4 00	37 50
" bumalda tr.	1 to 1½ ft.	50	4 50	
" cantonensis plena (<i>S. reevesi</i>) tr.	2½ to 3 ft.	75	6 00	50 00
" douglasi tr.	2 to 3 ft.	50	4 50	
" japonica tr.	1 to 2 ft.	50	4 00	35 00
" " select, tr.	2 to 2½ ft.	1 00	8 00	
" " alba tr.	1 ft.	1 00	8 00	
" latifolia tr.	2 to 3 ft.	60	5 00	40 00
" macrophylla tr.	1½ to 2 ft.	60	5 00	40 00
" margaritæ tr.	2 to 2½ ft.	60	5 00	40 00
" menzlesi tr.	2½ to 3 ft.	1 00	8 00	
" nicoudiarti tr.	1 ft.	1 00	8 00	

SHRUBS, continued

	Height	Per 10	100	1,000
Spiræa opulifolia. See Opulaster opulifolius.				
“ prunifolia plena tr.	2 to 3 ft.	\$0 75	\$6 00	\$55 00
“ thunbergi tr.	2 ft.	60	5 00	45 00
“ select, twice tr.	2 to 2½ ft.	1 00	7 50	65 00
“ tomentosa , Hardhack or Steeple-bush . . tr.	3 ft.	50	4 00	35 00
“ vanhouttei tr.	2½ to 3 ft.	75	6 00	50 00
Staphylea trifolia , Bladder-nut tr.	2 to 3 ft.	75	7 00	
“ select, tr.	4 to 6 ft.	1 00	8 50	
Stephanandra flexuosa tr.	1 to 1½ ft.	75	6 00	50 00
“ tr.	2 to 3 ft.	1 00	8 00	
Symphoricarpos occidentalis , Wolfberry . . tr.	2 ft.	1 00	8 00	
“ racemosus , Snowberry tr.	1½ to 2½ ft.	75	5 00	40 00
“ symphoricarpos (<i>S vulgaris</i>),				
“ Coral-berry . tr.	1 to 1½ ft.		2 50	20 00
“ tr.	2 to 2½ ft.		3 00	27 50
“ select, tr.	3 to 4 ft.	50	4 00	
Syringa chinensis , Chinese Lilac tr.	1 to 1½ ft.	1 00	8 00	
“ josikæa tr.	1½ to 2½ ft.	1 00	8 00	
“ vulgaris alba , Common White Lilac . . tr.	1 to 1½ ft.	1 00	7 50	60 00
Vaccinium stamineum , Deerberry or Buckberry . tr.	6 to 8 in.	75	5 00	
“ virgatum , Southern Black Huckleberry. tr.	1½ to 2 ft.	75	7 00	
Viburnum dentatum , Arrow-wood tr.	1 to 1½ ft.	85	7 50	70 00
“ select, tr.	1 to 2 ft.	1 00	8 50	75 00
“ dilatatum tr.	2 ft.	1 00		
Xanthorrhiza apiifolia , Yellow-root 1 yr. tr.		50	3 00	25 00
“ strong. 2 yrs. tr.		75	7 00	65 00
Xolisma ligustrina (<i>Andromeda ligustrina</i>),				
Privet Andromeda tr.	1 ft.	50	4 00	35 00

VINES

	Height	Per 10	100	1,000
Actinidia arguta tr.	1 ft.	\$1 00	\$8 50	
Akebia quinata , Five-leaved Akebia tr.	1 to 1½ ft.		3 50	\$30 00
" " heavy, tr.	2 to 2½ ft.	50	4 00	35 00
Ampelopsis. See Parthenocissus .				
Bignonia crucigera (<i>B. capreolata</i>), Cross-vine 2 yrs., tr.	1 ft.	75	5 50	50 00
" radicans . See Tecoma .				
Brunnichia cirrhosa , Brunnichia 3 yrs., tr.		1 00	8 50	
Celastrus paniculatus tr.	3 to 4 ft.	75	6 50	60 00
" scandens , Shrubby or Climbing Bittersweet tr.	1 ft.	75	6 50	
Clematis apiifolia , Parsley-leaved Clematis tr.	2 ft.	1 00	8 50	
" paniculata 2 yrs., tr.		1 00	8 50	
Decumaria barbara , Decumaria tr.	6 to 8 in.	1 00	8 50	
Dolichos. See Pueraria .				
Gelsemium sempervirens , Yellow Jessamine . . pots	1 to 2 ft.	75	6 50	
" " tr.	4 ft.	1 00	8 50	
Hedera helix , English Ivy 1 yr., pots			4 00	35 00
" " 2 yrs., pots		75	5 00	45 00
" " 3 yrs., pots		1 00	6 00	50 00
Kadsura japonica 2 yrs., pots		75	5 00	45 00
Kraunhia chinensis (<i>Wistaria chinensis</i>), Chinese Wistaria 2 yrs., tr.	3 to 4 ft.	1 00	7 50	60 00
" " heavy, 3 yrs., tr.		1 25	10 00	
" frutescens (<i>Wistaria frutescens</i>), American Wistaria heavy, tr.	3 to 4 ft.	1 25	10 00	
Lonicera chinensis , Purple Honeysuckle 2 yrs., tr.	2 ft.	75	5 00	40 00
" japonica , Japanese Honeysuckle 1 yr., tr.	1 to 1½ ft.		2 50	20 00
" sempervirens , Trumpet or Coral Honeysuckle tr.	3 ft.	50	4 00	
" sullivanti , Sullivant's Honeysuckle tr.	2 ft.	1 00	8 50	
For other species, see Shrubs				
Parthenocissus quinquefolia (<i>Ampelopsis quinquefolia</i>), Virginia Creeper 3 yrs., tr.	2 to 3 ft.	50	4 00	35 00
" tricuspidata (<i>Ampelopsis veitchii</i>), Boston or Japanese Ivy 1 yr., S.			2 50	17 50
Periploca græca , Silk Vine tr.	2 to 3 ft.	1 00	7 50	60 00
Pueraria thunbergiana (<i>Dolichos japonicus</i>), Kudzu Vine 2 yrs., tr.		2 00	17 50	
Smilax bona-nox , Bristly Greenbrier tr.	2 ft.	1 25	10 00	
" hispida , Hispid Greenbrier tr.	3 to 4 ft.	1 25	10 00	
" rotundifolia , Catbrier tr.	2 to 3 ft.	1 25	10 00	
Tecoma radicans (<i>Bignonia radicans</i>), Trumpet Flower tr.	2 to 3 ft.	1 00	8 50	
Vitis labrusca , Fox Grape tr.	2 to 3 ft.	75	6 50	50 00
Wistaria. See Kraunhia .				

Herbaceous Plants, Grasses and Bamboos

	Per 10	100	1,000
Adiantum pedatum , Maidenhair Fern field-grown	\$0 35	\$2 50	\$20 00
Artemisia abrotanum , Southernwood field-grown	1 00	8 50	
Arundinaria auricoma , Golden-variegated Cane clumps	3 50	30 00	
“ fortunei , Silver-variegated Cane clumps	3 50	30 00	
“ japonica (<i>Bambusa melake</i>), Japanese Cane strong clumps	3 50	30 00	200 00
“ macrosperma , Large American Cane . . strong clumps	2 75	20 00	150 00
“ simoni , Large Chinese Cane strong clumps	3 50	30 00	
“ tecta , Small American Cane strong clumps	2 75	20 00	150 00
Arundo donax , Great Reed clumps	1 00	7 50	70 00
“ “ extra heavy clumps	2 00	15 00	100 00
Aspidium . See Dryopteris .			
Aster macrophyllus , Large-leaved Aster field-grown	1 00	8 50	
“ novæ-angliæ , New England Aster field-grown	1 00		
Bamboos . See Arundinaria , Bambusa and Phyllostachys .			
Bambusa palmata , Veiny-leaved Bamboo strong clumps	3 50	30 00	200 00
“ tessellata , Large-leaved Bamboo strong clumps	3 50	30 00	
“ veitchi strong clumps	3 50	30 00	
Belamcanda . See Gemmingia .			
Bocconia cordata , Japanese Bocconia field-grown	75	5 00	
Carex japonica field-grown	1 00	7 50	
Castalia tuberosa (<i>Nymphaea tuberosa</i>), White Water Lily strong tubers	2 50	22 50	
Ceratostigma plumbaginoides (<i>Plumbago larpenæ</i>), Leadwort field-grown	1 00	8 50	
Chelone lyoni , Lyon's Turtle Head field-grown	75	6 50	
Convallaria majalis , Lily-of-the-Valley field-grown	50	3 00	27 50
Desmodium penduliflorum . See Lespedeza .			
Digitalis purpurea , Purple Foxglove field-grown	1 60	7 50	
Dryopteris acrostichoides (<i>Aspidium acrostichoides</i>), Christmas Fern nursery-grown	75	5 00	
“ marginalis (<i>Aspidium marginale</i>), Evergreen Wood-Fern nursery-grown	75	5 00	
Elymus glaucus , Smooth Wild Rye field-grown	1 00	7 50	
Erythronium americanum , Yellow Adder's Tongue . . . field-grown		4 00	
Eulalia . See Miscanthus .			
Funkia ovata (<i>F. lanceolata</i>) field-grown	1 00	7 50	
Gemmingia chinensis (<i>Belamcanda</i> and <i>Pardanthus chinensis</i>), Blackberry Lily field-grown	50	3 00	
Geranium sanguineum field-grown	1 00	8 50	
Gillenia . See Porteranthus .			
Helianthus dowellianus , Dowell's Sunflower field-grown	1 00	7 50	50 00
Hemerocallis dumortieri , Dwarf Day Lily field-grown	75	5 00	
“ fulva , Day Lily field-grown	50	3 00	
Hypericum sphærocarpum , Round-podded St. John's-wort field-grown	1 00	7 50	
For other species, see Shrubs			
Iberis sempervirens , Hardy Candytuft 1 yr. tr.	1 00	8 50	75 00

HERBACEOUS PLANTS, GRASSES, ETC., continued

	Per 10	100	1,000
Iris cristata , Crested Dwarf Iris strong, field-grown		\$3 00	\$25 00
“ germanica , Fleur-de-lis strong, field-grown		3 50	30 00
“ laevigata (<i>I. kœmpferi</i>), Japanese Iris strong, field-grown		3 00	25 00
“ missouriensis , Western Blue Flag strong, field-grown	\$1 00	7 50	
“ pumila , European Dwarf Iris strong, field-grown		3 00	25 00
“ siberica , Siberian Iris strong, field-grown		3 00	25 00
“ verna , American Dwarf Iris strong, field-grown		3 00	25 00
Lespedeza sieboldi (<i>Desmodium penduliflorum</i>), Siebold's Lespedeza 2 yrs., tr.	1 00	7 50	60 00
Liriope graminifolia (<i>Ophiopogon spicatus</i>), Purple-flowered Snake-beard strong, field-grown	1 00	8 50	
Lysimachia clethroides strong, field-grown	1 00	8 50	
“ nummularia , Moneywort 4-inch clumps	1 25	10 00	
“ “ 1 yr., tr.	50	4 00	30 00
Miscanthus japonicus (<i>Eulalia japonica</i>) clumps	75	5 00	
“ “ variegatus (<i>Eulalia japonica varie-</i> <i>gata</i>) clumps	75	5 00	
“ sinensis (<i>Eulalia gracillima univittata</i>) . . . clumps	75	5 00	
Monarda didyma , Oswego Tea field-grown	1 00	7 50	
Nelumbo nelumbo (<i>Nelumbium speciosum</i>), Indian Lotus strong tubers	5 00	45 00	
Nymphæa . See Castalia .			
Ophiopogon . See Liriope .			
Pachysandra procumbens , Alleghany Mountain Spurge . field-grown	75	5 50	
“ terminalis , Japanese Spurge field-grown	75	5 50	50 00
Pæonia , Herbaceous mixed varieties 5 yrs., field-grown	1 50	12 00	
“ “ named sorts field-grown	2 00	17 50	
Pardanthus . See Gemmingia .			
Pentstemon calycosa field-grown	1 00	8 50	
Phlox reptans , Crawling Phlox field-grown	50	4 50	40 00
“ subulata , Ground or Moss Pink field-grown	50	4 50	40 00
Phragmites phragmites (<i>P. communis</i>), Reed strong roots	1 00	8 50	
Plumbago . See Ceratostigma .			
Phyllostachys aurea , Yellow Bamboo . . . strong clumps, each, \$1.			
“ kumassasa (<i>Bambusa vimi-</i> <i>nalis</i>), Ruscus-leaved Bamboo strong clumps, each, 65 cts.			
“ mitis , Tall Bamboo strong clumps, each, \$1.			
“ marliacea , Marliac's Bamboo. strong clumps, each, \$1.			
Porteranthus trifollatus (<i>Gillenia trifoliata</i>), Indian Physic or Bowman's Root 2 yrs., field-grown	1 00	8 50	
Potentilla fruticosa . See Shrubs .			
“ tridentata , Three-toothed Cinquefoil . strong, field-grown		5 00	40 00
Ranunculus repens , Creeping Buttercup strong, field-grown	75	5 00	
Sedum spectabile , Large-flowered Orpine . . . strong, field-grown	75	5 00	45 00
Tanacetum vulgare crispum strong, field-grown	50	4 50	40 00
Thymus vulgaris , Thyme strong, field-grown	1 00	8 50	
Tradescantia montana , Spiderwort strong, field-grown	50	4 50	40 00
“ reflexa , Reflexed Spiderwort . . . strong, field-grown	50	4 50	
Veronica rupestris strong, field-grown	50	4 50	
Vinca major , Large Periwinkle 3 yrs., tr.	1 25	10 00	
“ minor , Periwinkle 1 yr., tr.	1 00	8 50	
Yucca filamentosa , Adam's Needle very heavy, 2 yrs., tr.	75	4 00	35 00
“ “ strong, 2 yrs., tr.	50	3 00	27 50
“ “ tr.		2 50	17 50

